



Element Materials Technology - Fort Wayne
328 Ley Rd.
Fort Wayne, IN 46825
TEL: (260) 424-1622 FAX: (260) 424-9124
Website: www.element.com

July 15, 2021

Henry Padilla
East Chicago Sanitary District
5201 Indianapolis Blvd
East Chicago, IN 46312
TEL: 219 391 8466
FAX: 219 391 8254

RE: S-901

Order No.: 21041170

Dear Henry Padilla:

Element Materials Technology - Fort Wayne received 2 sample(s) on 4/13/2021 for the analyses presented in the following report.

In accordance with your instructions, a laboratory of Element Materials Technology Fort Wayne LLC either conducted or subcontracted these analyses. Subcontracted analyses will be identified in an accompanying case narrative and any associated report(s) will be attached in full. Unless otherwise noted in the case narrative, all analyses were conducted using approved methodologies. Reported results relate only to the items tested.

Estimated uncertainty is available upon request. This report shall not be reproduced, except in full, without the written approval of the laboratory.

If you have any questions regarding these test results, please feel free to call.
Sincerely,

A handwritten signature in black ink that reads 'Don Ellis II'.

Don Ellis II
Project Manager
328 Ley Rd.
Fort Wayne, IN 46825



Element Materials Technology - Fort Wayne
328 Ley Rd.
Fort Wayne, IN 46825
TEL: (260) 424-1622 FAX: (260) 424-9124
Website: www.element.com

Case Narrative

WO#: 21041170

Date: 7/15/2021

CLIENT: East Chicago Sanitary District

Project: S-901

The Cyanide 1677 testing was subcontracted to Eurofins Pittsburgh PA. Their report is attached in its entirety.

The report was revised to correct an error in the phenol calibration calculation. The changes have been reviewed by our Quality Manager to ensure validity.



Element Materials Technology - Fort Wayne
328 Ley Rd.
Fort Wayne, IN 46825
TEL: (260) 424-1622 FAX: (260) 424-9124
Website: www.element.com

Analytical Report

(continuous)

WO#: 21041170

Date Reported 7/15/2021

CLIENT: East Chicago Sanitary District

Lab Order: 21041170

Project: S-901

Lab ID: 21041170-001

Collection Date: 4/12/2021 8:31:00 AM

Client Sample ID: #901

Matrix: WASTEWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

OIL AND GREASE, TOTAL

E1664

Analyst: HNN

Oil & Grease, Total	160	5.0	*	mg/L	1	4/15/2021 8:02:56 PM
---------------------	-----	-----	---	------	---	----------------------

OIL AND GREASE, PETROLEUM HYDROCARBONS

E1664

Analyst: HNN

Oil & Grease, Petroleum	124	5.0	*	mg/L	1	4/19/2021 8:00:00 PM
-------------------------	-----	-----	---	------	---	----------------------

SV COMPOUNDS FOR CATEGORICAL RQTS

E625

Analyst: SDF

Bis(2-ethylhexyl)phthalate	< 100	100		µg/L	10	4/20/2021 2:02:00 PM
Carbazole	< 100	100		µg/L	10	4/20/2021 2:02:00 PM
Fluoranthene	< 100	100		µg/L	10	4/20/2021 2:02:00 PM
n-Decane	< 100	100		µg/L	10	4/20/2021 2:02:00 PM
n-Octadecane	170	100		µg/L	10	4/20/2021 2:02:00 PM

SEMI-VOLATILES IN WW

E625

Analyst: SDF

Phenanthrene	< 100	100		µg/L	10	4/20/2021 2:02:00 PM
--------------	-------	-----	--	------	----	----------------------

Qualifiers:

*	Value exceeds Maximum Contaminant Level	H	Holding times for preparation or analysis exceeded
M	Manual Integration used to determine area response	ND	Not Detected at the Reporting Limit
PL	Permit Limit	PQL	Practical Quantitation Limit
RL	Reporting Detection Limit	S	Spike Recovery outside accepted recovery limits



Element Materials Technology - Fort Wayne
328 Ley Rd.
Fort Wayne, IN 46825
TEL: (260) 424-1622 FAX: (260) 424-9124
Website: www.element.com

Analytical Report

(continuous)

WO#: 21041170

Date Reported 7/15/2021

CLIENT: East Chicago Sanitary District

Lab Order: 21041170

Project: S-901

Lab ID: 21041170-002

Collection Date: 4/12/2021 8:31:00 AM

Client Sample ID: #901

Matrix: WASTEWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FLUORIDE		E300.0		Analyst: HNN		
Fluoride	11.6	1.0	*	mg/L	10	4/13/2021 11:02:20 PM
CHEMICAL OXYGEN DEMAND		M5220 D		Analyst: NMB		
Chemical Oxygen Demand	2,070	50.0		mg/L	5	4/19/2021 8:41:00 AM
AMMONIA AS N		E350.1		Analyst: AJC		
Nitrogen, Ammonia (As N)	56.1	1.00		mg/L	10	4/15/2021 1:27:01 AM
PHENOLICS IN WASTEWATER		E420.1		Analyst: ANS		
Phenolics, Total Recoverable	4.96	0.125	*	mg/L	5	4/14/2021 5:00:00 PM
TOTAL PHOSPHORUS		M4500-P F		Analyst: CDS		
Total Phosphorus	0.584	0.050		mg/L	1	4/15/2021 3:29:16 PM
TOTAL SUSPENDED SOLIDS		M2540 D		Analyst: SMB		
Suspended Solids (Residue, Non-Filterable)	277	77		mg/L	1	4/14/2021 1:21:00 PM
MERCURY		E245.1		Analyst: FJR		
Mercury	< 0.00010	0.00010		mg/L	1	4/19/2021
METALS IN WATER BY ICP-MS, TOTAL		E200.8		Analyst: FJR		
Arsenic	0.0111	0.00020		mg/L	1	4/19/2021
Chromium	0.0141	0.00040		mg/L	1	4/19/2021
Cobalt	0.00300	0.00010		mg/L	1	4/19/2021
Copper	0.0140	0.00020		mg/L	1	4/19/2021
Lead	0.00181	0.00020		mg/L	1	4/19/2021

Qualifiers:

* Value exceeds Maximum Contaminant Level
M Manual Integration used to determine area response
PL Permit Limit
RL Reporting Detection Limit

H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitation Limit
S Spike Recovery outside accepted recovery limits



Element Materials Technology - Fort Wayne
328 Ley Rd.
Fort Wayne, IN 46825
TEL: (260) 424-1622 FAX: (260) 424-9124
Website: www.element.com

Analytical Report

(continuous)

WO#: 21041170

Date Reported 7/15/2021

CLIENT: East Chicago Sanitary District

Lab Order: 21041170

Project: S-901

METALS IN WATER BY ICP-MS, TOTAL

E200.8

Analyst: FJR

Molybdenum	0.0601	0.00020	mg/L	1	4/19/2021
Nickel	0.0418	0.00100	mg/L	1	4/19/2021
Tin	< 0.00500	0.00500	mg/L	1	4/19/2021
Zinc	0.154	0.00400	mg/L	10	4/19/2021

Qualifiers:

*	Value exceeds Maximum Contaminant Level	H	Holding times for preparation or analysis exceeded
M	Manual Integration used to determine area response	ND	Not Detected at the Reporting Limit
PL	Permit Limit	PQL	Practical Quantitation Limit
RL	Reporting Detection Limit	S	Spike Recovery outside accepted recovery limits

ANALYTICAL REPORT

Eurofins TestAmerica, Pittsburgh
301 Alpha Drive
RIDC Park
Pittsburgh, PA 15238
Tel: (412)963-7058

Laboratory Job ID: 180-119965-1

Client Project/Site: Available Cyanide 21041170

For:

Element Materials Technology
328 Ley Rd
Suite100
Fort Wayne, Indiana 46825

Attn: Kris Kwasny



Authorized for release by:
4/22/2021 8:27:44 PM

Andy Johnson, Manager of Project Management
(615)301-5045

Andy.Johnson@Eurofinset.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

PA Lab ID: 02-00416

Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Definitions/Glossary	4
Certification Summary	5
Sample Summary	6
Method Summary	7
Lab Chronicle	8
Client Sample Results	9
QC Sample Results	10
QC Association Summary	11
Chain of Custody	12
Receipt Checklists	14



Case Narrative

Client: Element Materials Technology
Project/Site: Available Cyanide 21041170

Job ID: 180-119965-1

Job ID: 180-119965-1

Laboratory: Eurofins TestAmerica, Pittsburgh

Narrative

Job Narrative
180-119965-1

Comments

No additional comments.

Receipt

The sample was received on 4/14/2021 9:00 AM. Unless otherwise noted below, the sample arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 2.2° C.

Receipt Exceptions

The Field Sampler was not listed on the Chain of Custody.

The Chain-of-Custody (COC) was incomplete as received and/or improperly completed. There is no sample collection date or time listed on the COC or on the label. The client was contacted and provided this information.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Definitions/Glossary

Client: Element Materials Technology
Project/Site: Available Cyanide 21041170

Job ID: 180-119965-1

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Accreditation/Certification Summary

Client: Element Materials Technology
Project/Site: Available Cyanide 21041170

Job ID: 180-119965-1

Laboratory: Eurofins TestAmerica, Pittsburgh

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Arkansas DEQ	State	19-033-0	06-27-21
California	State	2891	04-30-21
Connecticut	State	PH-0688	09-30-20 *
Florida	NELAP	E871008	06-30-21
Georgia	State	PA 02-00416	04-30-21
Illinois	NELAP	004375	06-30-21
Kansas	NELAP	E-10350	01-31-22
Kentucky (UST)	State	162013	04-30-21
Kentucky (WW)	State	KY98043	12-31-21
Louisiana	NELAP	04041	06-30-21
Maine	State	PA00164	03-06-22
Minnesota	NELAP	042-999-482	12-31-21
Nevada	State	PA00164	07-31-21
New Hampshire	NELAP	2030	04-05-22
New Jersey	NELAP	PA005	06-30-21
New York	NELAP	11182	04-01-22
North Carolina (WW/SW)	State	434	12-31-21
North Dakota	State	R-227	04-30-21
Oregon	NELAP	PA-2151	02-06-22
Pennsylvania	NELAP	02-00416	04-30-21
Rhode Island	State	LAO00362	12-31-21
South Carolina	State	89014	04-30-21
Texas	NELAP	T104704528	03-31-22
US Fish & Wildlife	US Federal Programs	058448	07-31-21
USDA	Federal	P-Soil-01	06-26-22
USDA	US Federal Programs	P330-16-00211	06-26-22
Utah	NELAP	PA001462019-8	05-31-21
Virginia	NELAP	10043	09-14-21
West Virginia DEP	State	142	01-31-22
Wisconsin	State	998027800	08-31-21

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Sample Summary

Client: Element Materials Technology
Project/Site: Available Cyanide 21041170

Job ID: 180-119965-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
180-119965-1	21041170-001A	Water	04/12/21 08:31	04/14/21 09:00	

1

2

3

4

5

6

7

8

9

10

11

12

13

Method Summary

Client: Element Materials Technology
Project/Site: Available Cyanide 21041170

Job ID: 180-119965-1

Method	Method Description	Protocol	Laboratory
OIA - 1677	Available Cyanide by Flow Injection, Lig	EPA	TAL PIT

Protocol References:

EPA = US Environmental Protection Agency

Laboratory References:

TAL PIT = Eurofins TestAmerica, Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058

Lab Chronicle

Client: Element Materials Technology
Project/Site: Available Cyanide 21041170

Job ID: 180-119965-1

Client Sample ID: 21041170-001A
Date Collected: 04/12/21 08:31
Date Received: 04/14/21 09:00

Lab Sample ID: 180-119965-1
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	OIA - 1677		10			353723	04/19/21 21:04	GRB	TAL PIT
Instrument ID: ALPKEM3										

Laboratory References:
TAL PIT = Eurofins TestAmerica, Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058

Analyst References:
Lab: TAL PIT
Batch Type: Analysis
GRB = Gabriel Berghe

Client Sample Results

Client: Element Materials Technology
Project/Site: Available Cyanide 21041170

Job ID: 180-119965-1

Client Sample ID: 21041170-001A

Lab Sample ID: 180-119965-1

Date Collected: 04/12/21 08:31

Matrix: Water

Date Received: 04/14/21 09:00

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cyanide, Available	0.28		0.020	0.015	mg/L			04/19/21 21:04	10

QC Sample Results

Client: Element Materials Technology
Project/Site: Available Cyanide 21041170

Job ID: 180-119965-1

Method: OIA - 1677 - Available Cyanide by Flow Injection, Lig

Lab Sample ID: MB 180-353723/23

Matrix: Water

Analysis Batch: 353723

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cyanide, Available	ND		0.0020	0.0015	mg/L			04/19/21 20:36	1

Lab Sample ID: MB 180-353723/41

Matrix: Water

Analysis Batch: 353723

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cyanide, Available	ND		0.0020	0.0015	mg/L			04/19/21 21:03	1

Lab Sample ID: LCS 180-353723/22

Matrix: Water

Analysis Batch: 353723

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Cyanide, Available	0.0501	0.0479		mg/L		96	82 - 132

Lab Sample ID: LCS 180-353723/40

Matrix: Water

Analysis Batch: 353723

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Cyanide, Available	0.0501	0.0500		mg/L		100	82 - 132

QC Association Summary

Client: Element Materials Technology
Project/Site: Available Cyanide 21041170

Job ID: 180-119965-1

General Chemistry

Analysis Batch: 353723

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-119965-1	21041170-001A	Total/NA	Water	OIA - 1677	
MB 180-353723/23	Method Blank	Total/NA	Water	OIA - 1677	
MB 180-353723/41	Method Blank	Total/NA	Water	OIA - 1677	
LCS 180-353723/22	Lab Control Sample	Total/NA	Water	OIA - 1677	
LCS 180-353723/40	Lab Control Sample	Total/NA	Water	OIA - 1677	



CHAIN OF CUSTODY RECORD

Omega CCOCB 135796

PAGE: 1 OF 1

ADDRESS
Element Materials Technology - Fort
Wayne
328 Ley Rd.
Fort Wayne, IN 46825
TEL: (260) 424-1622
FAX: (260) 424-9124
Website: www.element.com

SUB CONTRACTOR: TEST_AMERICA		COMPANY: Test America				
ADDRESS: Sample Receiving						
CITY, STATE, ZIP: Nashville, TN 37204						
PHONE: (800) 765-0980 FAX: (615) 726-3404 EMAIL:						
ACCOUNT #						
SPECIAL INSTRUCTIONS / COMMENTS: Due: 4.20.21 RUSH!		COMMENTS: Metanol Preserved Weights HOT Sample Notation, Additional Sample Description				
ITEM #	SAMPLE ID	CLIENT SAMPLE ID	BOTTLE TYPE	MATRIX	DATE COLLECTED	NUMBER OF CONTAINERS
1	21041170-001A	S-901 Grab	500HDPENAOH	Wastewater		1
CYAN_1677 (OIA-1677-09)						



180-119965 Chain of Custody

Relinquished By: Jessie Watson	Date: 4/13/2021	Time: 4:36 PM	Received By: Jessie Watson	Date: 4-14-21	Time: 9:00
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
TAT: Standard <input type="checkbox"/>			RUSH Next BD <input type="checkbox"/> 2nd BD <input type="checkbox"/> 3rd BD <input type="checkbox"/>		
Note: RUSH requests will incur surcharges!					
REPORT TRANSMITTAL DESIRED: <input type="checkbox"/> HANDCARRY (extra cost) <input type="checkbox"/> FAX <input type="checkbox"/> EMAIL <input type="checkbox"/> ONLINE					
FOR LAB USE ONLY Temp of samples <input checked="" type="checkbox"/> Assay as Code ? Container:					

Page 17 of 20

123108
61F
P: GRET

Part # 156297-435 RRDW2 EXP 02/22

1/3


https://www.fedex.com/shipping/shipAction.handle?method=doContinue

SHIP DATE 13APR21
ACTWGT 14.01 LB
CAD 11807520MET4J40
BILL SENDER

ORIGIN EJENVA (700) 471-7000
SHIPPING/RECEIVING DEPT
BOWEN
24114 801 3431-100
FORT WAYNE, IN 46825
UNITED STATES US

TO
EUROFINS-PITTSBURGH
EUROFINS-PITTSBURGH
301 ALPHA DRIVE RIDC PARK

PITTSBURGH PA 15238
(260) 471-1000




WED - 14 APR 10:30A
PRIORITY OVERNIGHT

TRK 7734 3518 7910

NA AGCA

15238
PIT

PA-US



Uncorrected temp
Thermometer ID

2.2
14

CF 6 Initials *ly*

PT-WI-SR-001 effective 11/8/18

4/13/2021

FedEx Ship Manager - Print Your Label(s)

KRIS AV
(260) 471-1000



180-119965 Waybill

Login Sample Receipt Checklist

Client: Element Materials Technology

Job Number: 180-119965-1

SDG Number:

Login Number: 119965

List Number: 1

Creator: Watson, Debbie

List Source: Eurofins TestAmerica, Pittsburgh

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	False	
Is the Field Sampler's name present on COC?	False	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Chain of Custody

M59 W170

09

Laboratory Number: 21041170

Client Information:		Billing Information:		PO Number:		Project Name/Number:		Page 1 of 1	
Company Name: East Chicago Sanitary District		Same				S-901		Matrix Code	
Contact Name: Not Listed				Quote Number:		Sampler's Signature		DW = Drinking Water WW = Waste Water GW = Ground Water AQ = Aqueous OT = Other SL = Sludge O = Oil F = Food NG = Natural Gas NGL = Natural Gas Liquid PW = Produced Water CF = Completion Fluid	
Address: 5201 Indianapolis Blvd				Required QC Level		Shipping Method: <i>Hand</i>		Page 20 of 20	
City, State Zip: East Chicago IN 46312				Bill Monthly		UPS / FedEx <u>Element</u> Hand / Mail			
Phone Number: 219-391-8466		Ext. 240		Ext:					
Fax Number:				<input type="checkbox"/> Yes <input type="checkbox"/> No					
E-mail Address: Not Listed @eastchicago.com									

Which Regulations Apply:				Turn Time	(Rush turn times will incur a surcharge and must be pre-approved by lab.)		Container	Pres.	Requested Tests								Comments
<input type="checkbox"/> RCRA <input type="checkbox"/> POTW <input type="checkbox"/> NPDES <input type="checkbox"/> USDA/FDA <input type="checkbox"/> RECAP/RIISC				5 TAT													Samples Meet Acceptance Policy <div>Yes No</div>
<input type="checkbox"/> Drinking Water <input type="checkbox"/> Distribution <input type="checkbox"/> Special <input type="checkbox"/> State <input type="checkbox"/> Other																	
Sample ID/Description	Collection Information			Matrix	Quantity	Type P=Plastic, G=Glass, V=Vial	HCl, HNO ₃ , H ₂ SO ₄ , NaOH, Na ₂ S ₂ O ₃	CYANIDE 1677	Oil & Grease T&SI	**SVOC list	*Metals	NH ₃ , T.PHOS, COD	PHENOL	300: Fluoride	TSS		
	Date	Time	Grab / Composite														
S-901 Grab	4-12-21	8:31	Grab	WW	1	P	NAOH	X									*As, Cr, Cu, Pb, Mo, Ni, Zn, & Hg, Extra: Co, Sn
S-901 Grab			Grab	WW	1	G	H2SO4		X								**Carbazole, n-Decane, Fluoranthene, n-Octadecane, Phenanthrene, Bis(2EH) Phthalate
S-901 Grab			Grab	WW	1	G	NONE			X							
S-901 Composite			Comp	WW	1	P	HNO3				X						
S-901 Composite			Comp	WW	1	P	H2SO4					X					
S-901 Composite			Comp	WW	1	G	H2SO4						X				
S-901 Composite			Comp	WW	2	P	NONE								X	X	

Relinquished by	Date/Time	Received by	Date/Time	Composite Sampler
1 <i>W. L. L. L.</i>	4-13-21 11:55	<i>Coran Blue</i>	4-13-21 11:55	Start Date/Time: 4-12-21 8:31 End Date/Time: 4-12-21 8:32
2 <i>Coran Blue</i>	4-13-21 16:10	<i>Coran Blue</i>	4-13-21 16:10	Received at lab on ice? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Temp: 3.1 °C
3				

All samples submitted to Element Materials Technology for analysis are accepted on a custodial basis only. Ownership of the material remains with the client submitting the samples. Element Materials Technology reserves the right to return unused sample portions.

8800 North US 31
Columbus, IN 47201 USA
P 812-375-0531
F 812-375-0731

328 Ley Road, Suite 100
Fort Wayne, IN 46825 USA
P 260-471-7000
F 260-471-7777

909 Executive Dr.
Warsaw, IN 46580 USA
P 574-267-3305
F 574-269-6569

3371 Cleveland Road, Suite 100A
South Bend, IN 46628-9780 USA
P 574-277-0707

2417 W. Pinhook Rd
Lafayette, LA 70508-3344 USA
P 337-235-0483
F 337-233-6540